FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires December 31, 2005

-	Important: Read t	the instructions on pages 1	- 7.	
		OPERTY OWNER INFORM		For Insurance Company Use:
BUILDING OWNER'S NAME	Policy Number			
JAMES CAI				
28822 MODJESKA CA	ANYON ROAD		4. 	
CITY MODJESKA CANYON		STATE CA	ZIP C0 9267	
PROPERTY DESCRIPTION (Lot and Block Number	rs, Tax Parcel Numl	her Legal Description, etc.)		
PCL 20F LLA 2005-33, RECOLUMN BUILDING USE (e.g. Residential Mouresidential A	ED ON 1-4-	07 AS INST. NO. 200	7-00005 6500	04. Recaps OF OR
BUILDING USE (e.g., Residential, Non-residential, A RESIDENTIAL	ddition, Accessory,	etc. Use a Comments area, if	necessary.)	Co., C4.
LATITUDE/LONGITUDE (OPTIONAL)	HORIZONTAL	DATUBA	001100= []	
(##° - ##' - ##.##" or ##.####°)	□ NAD 1927 □	T NAD 1983	SOURCE: GPS (Ty	De): COUNTY O
			_ 0000 Q	uad Map 🔀 Other: ORA
SECTION	B-FLOOD INSU	RANCE RATE MAP (FIRM)	INFORMATION	
B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER	B2.CO	UNTY NAME		33. STATE
COUNTY OF ORANGE 060212		ORANGE	'	CA
B4. MAP AND PANEL				
	M INDEX DATE	87. FIRM PANEL EFFECTIVE/REVISED DATE	B8. FLOOD ZONE(S)	B9. BASE FLOOD ELEVATION(S)
0.50=0	18/04	9/15/80	1 ''	(Zone AO, use depth of flooding)
B10. Indicate the source of the Base Flood Elevation (BFE) of	data or base flood de	nth entered in R0	AE	1315.92
L_IFIS Profile DXIFIRM . □ Co	ommunity Determined	d Dther (Description	rihe)·	
B11. Indicate the elevation datum used for the BFE in B9: \Box	NGVD 1929	MAVD 1988	Other (Describe):	
B12. Is the building located in a Coastal Barrier Resources S	system (CBRS) area	or Otherwise Protected Area (OP	A)? Tyes To No.	Designation Date N A
SECTION C.	BUILDING ELEV	ATION INFORMATION (SUR	MEN DECITION	Designation Date N.A.
Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. Section D or Section G, as appropriate, to document the Datum Conversion/Comments SUBTRAC.	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion,	AR, AR/A, AR/AE, AR/A1-A30, / em C2. State the datum used. If t ents and datum conversion calcul	AR/AH, AR/AO the datum is different from ation. Use the space provi	the datum used for the BFE in ded or the Comments area of
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V Complete Items C3. a i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC'. Elevation reference mark used Does the elevation o a) Top of bottom floor (including basement or enclosur o b) Top of next higher floor o c) Bottom of lowest horizontal structural member (V zo o d) Attached garage (top of slab)	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used	AR, AR/A, AR/AE, AR/A1-A30, And C2. State the datum used. If the conversion calculor of the NAVD88 TO OBTATE displayer on the FIRM? Yes 1317.25 ft.(m)	AR/AH, AR/AO the datum is different from ation. Use the space provi	the datum used for the BFE in ded or the Comments area of SEOFESSIONAL SECTION OF THE SECTION OF
Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. Station B or Section G, as appropriate, to document the Datum Conversion/Comments SUBTRAC. Blevation reference mark used Does the elevation of the Document or enclosur of Document higher floor c) Bottom of lowest horizontal structural member (V zo o d) Attached garage (top of slab) e b) Lowest elevation of machinery and/or equipment	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re)	AR, AR/A, AR/AE, AR/A1-A30, And C2. State the datum used. If the part of the conversion calculation of the conversion of	AR/AH, AR/AO the datum is different from ation. Use the space provi	the datum used for the BFE in ded or the Comments area of OSEPH BRE
Complete Items C3.—a-i below according to the building of Section B, convert the datum to that used for the BFE. Stations D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC'. Blevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zo d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re)	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If the datum used in the datum used. If the datum and datum conversion calculated MAVD88 TO OBTA: OM NAVD88 TO OBTA: Of appear on the FIRM? Yes 1317.25 ft.(m) ——. —ft.(m) 1316.75 ft.(m)	AR/AH, AR/AO the datum is different from ation. Use the space provi	the datum used for the BFE in ded or the Comments area of SEOFESSIONAL SECTION OF THE SECTION OF
Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. Si Section D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC* Blevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zo of) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are of) Lowest adjacent (finished) grade (LAG)	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only)	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculated MAVD88 TO OBTA: displayed on the FIRM? Yes 1317.25 ft.(m)	AR/AH, AR/AO the datum is different from ation. Use the space providing NGVD 29 IN NGVD 29 IN No	the datum used for the BFE in ded or the Comments area of CROFESSIONAL SEPH BREAK C20, 801
Complete Items C3.—a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC'. B Datum Conversion/CommentsSUBTRAC'. Elevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor C) Bottom of lowest horizontal structural member (V zo d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG)	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only)	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and datum conversion calc	AR/AH, AR/AO the datum is different from ation. Use the space providing NGVD 29 IN NGVD 29 IN No	the datum used for the BFE in ded or the Comments area of CROFESSIONAL SEPH BREAK C20, 801
Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC'. Blevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor C) Bottom of lowest horizontal structural member (V zo or d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are of) Lowest adjacent (finished) grade (IAAG)	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only)	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and datum conversion calc	AR/AH, AR/AO the datum is different from ation. Use the space providing NGVD 29 IN NGVD 29 IN No	the datum used for the BFE in ded or the Comments area of OROFESSIONAL OSEPH BREAKING C20, 801
Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC*. Blevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor or Bottom of lowest horizontal structural member (V zo od) Attached garage (top of slab) or b) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are of) Lowest adjacent (finished) grade (LAG) og) Highest adjacent (finished) grade (HAG) oh) No. of permanent openings (flood vents) within 1 ft. a	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only) aa) 13 above adiacent grade	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and datum conversion calculates and datum conversion calculates and datum conversion calculates and ARVD88 TO OBTA: OM NAVD88 TO OBTA: Of the conversion calculates and appear on the FIRM? Yes 1317.25 ft.(m)	AR/AH, AR/AO the datum is different from ation. Use the space providing NGVD 29 IN NGVD 29 IN No	the datum used for the BFE in ded or the Comments area of SROFESSIONAL SPECIAL
Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. State Section D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC* Belevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zo of) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) h) No. of permanent openings (flood vents) within 1 ft. a i) Total area of all permanent openings (flood vents) in	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. If 2.377 FRO n reference mark used re) ones only) above adjacent grade C3.hsq. in. (s	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If the datum used. If the datum used and datum conversion calculated appear on the FIRM? Yes 1317.25 ft.(m)	AR/AH, AR/AO the datum is different from ation. Use the space providing NGVD 29 IN NGVD 29 No Telephone at the space providing the space provid	the datum used for the BFE in ded or the Comments area of OROFESSIONAL OSEPH BREAKING C20, 801
Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC'. B Datum Conversion/CommentsSUBTRAC'. Elevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor C) Bottom of lowest horizontal structural member (V zo d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) h) No. of permanent openings (flood vents) within 1 ft. a i) Total area of all permanent openings (flood vents) in SECTION D -	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only) aa) 13 above adjacent grade C3.hsq. in. (sc.	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculated M NAVD88 TO OBTA: add appear on the FIRM? Yes 1317.25 ft.(m)	AR/AH, AR/AO the datum is different from ation. Use the space providing NGVD 29 IN NGVD 29 IN No regular to the space providing the space provid	the datum used for the BFE in ded or the Comments area of SROFESSIONAL CONTROL OF CALLERY OF CALLER
Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the Datum Conversion/CommentsSUBTRAC'. Blevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zo od) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are of) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) h) No. of permanent openings (flood vents) within 1 fit a oi) Total area of all permanent openings (flood vents) in SECTION D -	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only) above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate represence.	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and appear on the FIRM? Yes 1317.25 ft.(m) ————————————————————————————————————	AR/AH, AR/AO the datum is different from ation. Use the space provided in NGVD 29 IN NGVD 29 IN No RETIFICATION to certify elevation informate the data evailable.	the datum used for the BFE in ded or the Comments area of SROFESSIONAL SPECIAL
Case Servicing the senis the outlong, provide a sketch or process. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, Ve, Ve Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. Steption D or Section G, as appropriate, to document the Batum Conversion/CommentsSUBTRAC'. Betation reference mark used Does the elevation on a) Top of bottom floor (including basement or enclosur on b) Top of next higher floor on c) Bottom of lowest horizontal structural member (Vizor of Attached garage (top of slab) on e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are of 1) Lowest adjacent (finished) grade (LAG) on Highest adjacent (finished) grade (LAG) on h) No. of permanent openings (flood vents) within 1 fit. a oi) Total area of all permanent openings (flood vents) in SECTION D - This certification is to be signed and sealed by a land sit of that the information in Sections A, B, and C on a understand that any false statement may be punishab. CERTIFIER'S NAME	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only) above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate represence.	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If the contents and datum conversion calculated appear on the FIRM? Yes 1317.25 ft.(m)	AR/AH, AR/AO the datum is different from ation. Use the space provided in the space prov	the datum used for the BFE in ded or the Comments area of SROFESSIONAL SPECIAL
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the B Datum Conversion/CommentsSUBTRAC'. Elevation reference mark used Does the elevation a) Top of bottom floor (including basement or enclosur b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zo d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (LAG) h) No. of permanent openings (flood vents) within 1 ft. a i) Total area of all permanent openings (flood vents) in SECTION D- This certification is to be signed and sealed by a land so certify that the information in Sections A, B, and C on a understand that any false statement may be punishab. CERTIFIER'S NAME JAMES J. BRENNAN	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only) above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate represence.	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and datum conversion and datum conversion and datum conversion and datum used. If it is a series and datum conversion and datum used. If it is a series and datum conversion and datum used. If it is a series and datum conversion and datum used. If it is a series and datum conversion and datum used. If it is a series and datum conversion and datum used. If it is a series and datum conversion and datum used. If it is a series and datum conversion and datum used. If it is a series and datum conversion calculates and datum used. If it is a series and datum conversion calculates and datum used. If it is a series and datum conversion calculates and datum used. If it is a series and datum conversion calculates and datum used. If it is a series are a series and datum used. If it is a series are a se	AR/AH, AR/AO the datum is different from ation. Use the space provided in the space prov	the datum used for the BFE in ded or the Comments area of SROFESSIONAL SPECIAL
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the Batum Conversion/Comments SUBTRAC'. Bevation reference mark used Does the elevation a) Top of bottom floor (including basement or enclosur b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zo d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) h) No. of permanent openings (flood vents) within 1 ft. a i) Total area of all permanent openings (flood vents) in	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only) above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate represence.	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and datum conversion and datum conversion and datum conversion and datum used. If a conversion used. If a con	AR/AH, AR/AO the datum is different from ation. Use the space provided in the space prov	the datum used for the BFE in ded or the Comments area of SROFESSIONAL CONTROL OF CALLERY OF CALLER
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the B Datum Conversion/CommentsSUBTRAC'. Elevation reference mark used Does the elevation a) Top of bottom floor (including basement or enclosur b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zo d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (LAG) h) No. of permanent openings (flood vents) within 1 ft. a i) Total area of all permanent openings (flood vents) in SECTION D- This certification is to be signed and sealed by a land so certify that the information in Sections A, B, and C on a understand that any false statement may be punishab. CERTIFIER'S NAME JAMES J. BRENNAN	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only) above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate represence.	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and appear on the FIRM? Yes 1317.25 ft.(m) ————ft.(m) ———ft.(m) ——ft.(m) ——ft.(m) ——ft.(m) ——	AR/AH, AR/AO the datum is different from ation. Use the space provided in the space prov	the datum used for the BFE in ded or the Comments area of SEPH BREING COVIL CO
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the B Datum Conversion/CommentsSUBTRAC'. Elevation reference mark used Does the elevation a) Top of bottom floor (including basement or enclosur b) Top of next higher floor c) Bottom of lowest horizontal structural member (V zo d) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) h) No. of permanent openings (flood vents) within 1 ft. a i) Total area of all permanent openings (flood vents) in SECTION D - This certification is to be signed and sealed by a land self certify that the information in Sections A, B, and C on a understand that any false statement may be punishab CERTIFIER'S NAME JAMES J BRENNAN	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) ones only) above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate represence.	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculations and datum conversion calculations and datum conversion calculations are considered appear on the FIRM? Yes 1317.25 ft.(m) ————————————————————————————————————	AR/AH, AR/AO the datum is different from ation. Use the space provided in the space prov	the datum used for the BFE in ded or the Comments area of SEPH BREAL CONTROL OF CALLED THE OF CALLED
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the B Datum Conversion/CommentsSUBTRAC'. Bevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor C) Bottom of lowest horizontal structural member (V zond) Attached garage (top of slab) e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG) g) Highest adjacent (finished) grade (HAG) h) No. of permanent openings (flood vents) within 1 ft. a i) Total area of all permanent openings (flood vents) in SECTION D- This certification is to be signed and sealed by a land self certify that the information in Sections A, B, and C on a understand that any false statement may be punishabed CERTIFIER'S NAME JAMES J. BRENNAN TITLE PRESIDENT ADDRESS	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) nes only) aa) 13 above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate repre- le by fine or impriso	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and datum conversion calc	AR/AH, AR/AO the datum is different from ation. Use the space provided in NGVD 29 IX No ERTIFICATION to certify elevation informate the data available. Section 1001. LICENSE NUMBER R.C.E. 20801 STATE	the datum used for the BFE in ded or the Comments area of SEPH BREAKERS COVIL STATE OF CALLES OF
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the BDatum Conversion/CommentsSUBTRAC*. B Datum Conversion/CommentsSUBTRAC*. Elevation reference mark used Does the elevation on a) Top of bottom floor (including basement or enclosur on b) Top of next higher floor on c) Bottom of lowest horizontal structural member (V zond) Attached garage (top of slab) on e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are on f) Lowest adjacent (finished) grade (LAG) on h) No. of permanent openings (flood vents) within 1 ft. a on i) Total area of all permanent openings (flood vents) in SECTION D - This certification is to be signed and sealed by a land so I certify that the information in Sections A, B, and C on a understand that any false statement may be punishable CERTIFIER'S NAME JAMES J. BRENNAN TITLE PRESIDENT ADDRESS 191 SOUTH ORANGE ST	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) nes only) aa) 13 above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate repre- le by fine or impriso	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and datum conversion calc	AR/AH, AR/AO the datum is different from ation. Use the space provided in NGVD 29 IX No ERTIFICATION To certify elevation informate the data available. The data available in the data available. The data available in the data available in the data available. The data available in the data available in the data available. The data available in the data available in the data available. The data available in the data available in the data available. The data available in the data available in the data available. The data available in the data available in the data available. The data available in the data available in the data available. The data available in the data available in the data available in the data available. The data available in the data available in the data available in the data available in the data available. The data available in the data available in the data available in the data available in the data available. The data available in the data available. The data available in the	the datum used for the BFE in ded or the Comments area of SEPH BREAKERS COVIL
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V Complete Items C3a-i below according to the building of Section B, convert the datum to that used for the BFE. SI Section D or Section G, as appropriate, to document the B Datum Conversion/CommentsSUBTRAC*. Bevation reference mark used Does the elevation or a) Top of bottom floor (including basement or enclosur or b) Top of next higher floor C) Bottom of lowest horizontal structural member (V zond) Attached garage (top of slab) E) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments are f) Lowest adjacent (finished) grade (LAG) B) Highest adjacent (finished) grade (HAG) C) Highest adjacent (finished) grade (HAG) C) This certification is to be signed and sealed by a land so a local area of all permanent openings (flood vents) in the certify that the information in Sections A, B, and C on a local difference of the property of the punishab CERTIFIER'S NAME DAMES J. BRENNAN TITLE PRESIDENT ADDRESS	hotograph.) /1-V30, V (with BFE), flagram specified in It how field measureme datum conversion. T 2.377 FRO n reference mark used re) nes only) aa) 13 above adjacent grade C3.hsq. in. (so SURVEYOR, ENC urveyor, engineer, of this certificate repre- le by fine or impriso	AR, AR/A, AR/AE, AR/A1-A30, Amm C2. State the datum used. If it ants and datum conversion calculates and datum conversion calc	ERTIFICATION to certify elevation information to the data available. EC.E. 20801 STATE CA TELEPHO	the datum used for the BFE in ded or the Comments area of SEPH BREAKERS COVIL

28822 MODJESKA CANYON ROAD	IMPORTANT: In these spaces, copy the corresponding information from Section A. BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bidg. No.) OR P.O. ROUTE AND BOX NO.				
			Policy Number		
MODJESKA CANYON	STATE CA	ZIP CODE 92676	Company NAIC Number		
SECTION D - SURVEYOR, ENGINEER, C		TIFICATION (CONTINUI	ED)		
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance a	agent/company, and (3) b	uilding owner.			
COMMENTS The property has been identified, accordin	g to Firm, a	s being located	l in flood zone		
AE for a 100 Year Flood Plain. The finish	ed floor ele	vation for the	proposed residence		
is EL. 1317.25.			Check here if attachme		
SECTION E - BUILDING ELEVATION INFORMATION (SURVE	EY NOT REQUIRED)	FOR ZONE AO AND ZO	NE A (WITHOUT BFE)		
or Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation C must be completed. 1. Building Diagram Number _(Select the building diagram most similar to the building represents the building, provide a sketch or photograph.)					
2. The top of the bottom floor (including basement or enclosure) of the building is	ft.(m)in.(cm) 🔲 abo	ve or 🔲 below (check one) the highest adjacent grade, (Use		
natural grade, ir availabie).					
 For Building Diagrams 6-8 with openings (see page 7), the next higher floor or eleval grade. Complete items C3.h and C3.i on front of form. 	ated floor (elevation b) of	the building isft.(m)i	n.(cm) above the highest adjacent		
4. The top of the platform of machinery and/or equipment servicing the building is	ft.(m) in.(cm) above	ve or Delow (check one)) the highest adjacent grade (Lise		
natura grade, ir available).					
5. For Zone AO only: If no flood depth number is available, is the top of the bottom flo	or elevated in accordance	e with the community's flood	plain management ordinance?		
Yes No Unknown. The local official must certify this information in SECTION F - PROPERTY OWNER (OR O		TATA/C OPERTION	NM		
The property owner or owner's authorized representative who completes Sections A, I	B C (theme C3 h and C3	IATIVE) CERTIFICATIO)N		
issued BFE) or Zone AO must sign here. The statements in Sections A, B, C, and E &	are correct to the best of a	i Only), and Elior Zone A (Wi <i>TIV knowledae</i> .	mout a FEMA-Issued or community		
PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAMI	E	,			
ADDRESS	JAMES J.	BRENNAN	T 70 000		
191 SOUTH ORANGE STREET	ORANGE	STAT CA	E ZIP CODE 92866		
SIGNATURE James Allun an	DATE		PHONE		
COMMENTS	4-17-07	714	-997-2540		
			Check here if attachmen		
SECTION G - COMMUNITY e local official who is authorized by law or ordinance to administer the community's flor	Y INFORMATION (OF odplain management ord	TIONAL) Inance can complete Sectio			
SECTION G - COMMUNITY The local official who is authorized by law or ordinance to administer the community's florerificate. Complete the applicable item(s) and sign below. 1. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the 2. A community official completed Section E for a building located in Zone A (without the following information (Items G4-G9) is provided for community floodplain mass. 34. PERMIT NUMBER G5. DATE PERMIT ISSUED	odiplain management ord n signed and embossed b elevation data in the Con ut a FEMA-issued or con anagement purposes.	inance can complete Section of a licensed surveyor, enginalments area below.) omunity-issued BFE) or Zone	ns A, B, C (or E), and G of this Electors, or architect who is authorized		
ne local official who is authorized by law or ordinance to administer the community's florentificate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the C. A community official completed Section E for a building located in Zone A (without B. The following information (Items G4-G9) is provided for community floodplain match. G5. DATE PERMIT ISSUED	n signed and embossed be elevation data in the Con out a FEMA-issued or com an agement purposes. G6. D	inance can complete Section of a licensed surveyor, enginalments area below.) omunity-issued BFE) or Zone	ns A, B, C (or E), and G of this Elements, or architect who is authorized a AO.		
ne local official who is authorized by law or ordinance to administer the community's florerificate. Complete the applicable item(s) and sign below. 1. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the c. A community official completed Section E for a building located in Zone A (without the following information (Items G4-G9) is provided for community floodplain mass. PERMIT NUMBER G5. DATE PERMIT ISSUED 7. This permit has been issued for: New Construction Substantial Improvement. Elevation of as-built lowest floor (including basement) of the building is:	n signed and embossed be elevation data in the Con out a FEMA-issued or com an agement purposes. G6. D	inance can complete Section by a licensed surveyor, enginaments area below.) brownity-issued BFE) or Zono http://www.area.com/piccom/pi	ns A, B, C (or E), and G of this Electors eer, or architect who is authorized AO. **LIANCE/OCCUPANCY ISSUED		
e local official who is authorized by law or ordinance to administer the community's florartificate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the C. A community official completed Section E for a building located in Zone A (without Incidence Information (Items G4-G9) is provided for community floodplain mass. G5. DATE PERMIT ISSUED This permit has been issued for: New Construction Substantial Improveme Information of as-built lowest floor (including basement) of the building is:	n signed and embossed be elevation data in the Con out a FEMA-issued or com an agement purposes. G6. D	inance can complete Section of a licensed surveyor, enginalments area below.) omunity-issued BFE) or Zone	ns A, B, C (or E), and G of this Elements, or architect who is authorized a AO.		
ne local official who is authorized by law or ordinance to administer the community's florertificate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the c. A community official completed Section E for a building located in Zone A (without a). The following information (Items G4-G9) is provided for community floodplain mass. G5. DATE PERMIT ISSUED This permit has been issued for: New Construction Substantial Improvement	n signed and embossed be elevation data in the Con out a FEMA-issued or com an agement purposes. G6. D	inance can complete Section by a licensed surveyor, enginaments area below.) armunity-issued BFE) or Zono ATE CERTIFICATE OF COMP	ns A, B, C (or E), and G of this Electors eer, or architect who is authorized e AO. LIANCE/OCCUPANCY ISSUED Datum:		
e local official who is authorized by law or ordinance to administer the community's flor ritificate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the A community official completed Section E for a building located in Zone A (without The following information (Items G4-G9) is provided for community floodplain ma PERMIT NUMBER G5. DATE PERMIT ISSUED This permit has been issued for: New Construction Substantial Improveme Elevation of as-built lowest floor (including basement) of the building is: BFE or (in Zone AO) depth of flooding at the building site is: OCAL OFFICIAL'S NAME	n signed and embossed be elevation data in the Conut a FEMA-issued or companagement purposes. G6. Depart	inance can complete Section y a licensed surveyor, enginaments area below.) nmunity-issued BFE) or Zone ATE CERTIFICATE OF COMP	ns A, B, C (or E), and G of this Electors eer, or architect who is authorized e AO. LIANCE/OCCUPANCY ISSUED Datum:		
e local official who is authorized by law or ordinance to administer the community's flowrifficate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the C. A community official completed Section E for a building located in Zone A (without). The following information (Items G4-G9) is provided for community floodplain made. PERMIT NUMBER G5. DATE PERMIT ISSUED This permit has been issued for: New Construction Substantial Improvement. Elevation of as-built lowest floor (including basement) of the building is: BFE or (in Zone AO) depth of flooding at the building site is: OCAL OFFICIAL'S NAME	n signed and embossed be elevation data in the Conut a FEMA-issued or companagement purposes. G6. Depart	inance can complete Section y a licensed surveyor, enginaments area below.) nmunity-issued BFE) or Zone ATE CERTIFICATE OF COMP	ns A, B, C (or E), and G of this Electors eer, or architect who is authorized e AO. LIANCE/OCCUPANCY ISSUED Datum:		
De local official who is authorized by law or ordinance to administer the community's flow prificate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the C. A community official completed Section E for a building located in Zone A (without). The following information (Items G4-G9) is provided for community floodplain mass. PERMIT NUMBER G5. DATE PERMIT ISSUED This permit has been issued for: New Construction Substantial Improveme. Elevation of as-built lowest floor (including basement) of the building is: BFE or (in Zone AO) depth of flooding at the building site is: OCAL OFFICIAL'S NAME COMMUNITY NAME	n signed and embossed be elevation data in the Conut a FEMA-issued or companagement purposes. G6. Depart	inance can complete Section y a licensed surveyor, enginaments area below.) nmunity-issued BFE) or Zone ATE CERTIFICATE OF COMP	ns A, B, C (or E), and G of this Electors eer, or architect who is authorized e AO. LIANCE/OCCUPANCY ISSUED Datum:		
e local official who is authorized by law or ordinance to administer the community's flowrifficate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the C. A community official completed Section E for a building located in Zone A (without). The following information (Items G4-G9) is provided for community floodplain made. PERMIT NUMBER G5. DATE PERMIT ISSUED This permit has been issued for: New Construction Substantial Improvement. Elevation of as-built lowest floor (including basement) of the building is: BFE or (in Zone AO) depth of flooding at the building site is: OCAL OFFICIAL'S NAME	n signed and embossed be elevation data in the Conut a FEMA-issued or companagement purposes. G6. Depart	inance can complete Section y a licensed surveyor, enginaments area below.) nmunity-issued BFE) or Zone ATE CERTIFICATE OF COMP	ns A, B, C (or E), and G of this Electors eer, or architect who is authorized e AO. LIANCE/OCCUPANCY ISSUED Datum:		
e local official who is authorized by law or ordinance to administer the community's floorificate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the C. A community official completed Section E for a building located in Zone A (without Incidence Incidence). The following information (Items G4-G9) is provided for community floodplain mass. PERMIT NUMBER G5. DATE PERMIT ISSUED This permit has been issued for: New Construction Substantial Improveme. Elevation of as-built lowest floor (including basement) of the building is: BFE or (in Zone AO) depth of flooding at the building site is: OCAL OFFICIAL'S NAME GMMUNITY NAME	n signed and embossed be elevation data in the Conut a FEMA-issued or companagement purposes. G6. Depart	inance can complete Section y a licensed surveyor, enginaments area below.) nmunity-issued BFE) or Zone ATE CERTIFICATE OF COMP	ns A, B, C (or E), and G of this Electors eer, or architect who is authorized e AO. LIANCE/OCCUPANCY ISSUED Datum:		
e local official who is authorized by law or ordinance to administer the community's floorificate. Complete the applicable item(s) and sign below. The information in Section C was taken from other documentation that has been or local law to certify elevation information. (Indicate the source and date of the C. A community official completed Section E for a building located in Zone A (without Incidence Incidence). The following information (Items G4-G9) is provided for community floodplain mass. PERMIT NUMBER G5. DATE PERMIT ISSUED This permit has been issued for: New Construction Substantial Improveme. Elevation of as-built lowest floor (including basement) of the building is: BFE or (in Zone AO) depth of flooding at the building site is: OCAL OFFICIAL'S NAME GMMUNITY NAME	n signed and embossed be elevation data in the Conut a FEMA-issued or companagement purposes. G6. Depart	inance can complete Section y a licensed surveyor, enginaments area below.) nmunity-issued BFE) or Zone ATE CERTIFICATE OF COMP	ns A, B, C (or E), and G of this Electors eer, or architect who is authorized e AO. LIANCE/OCCUPANCY ISSUED Datum:		



Jess A. Carbajal, Director 300 N. Flower Street Santa Ana, CA

P.O. Box 4048 Santa Ana, CA 92702-4048

Telephone: (714) 834-2300 Fax: (714) 834-5188

MEMO OF REVIEW FOR CORRECTNESS AND COMPLETION

In accordance with this community's participation in the National Flood Insurance Program's Community Rating System, all FEMA Elevation Certificates must be correct and complete. The attached Certificate has some incorrect items which are noted here

		850	TION A DECREE	TV INCODA	ATION	T			
SECTION A - PROPERTY INFORMATION A1. Building Owner's Name James Campbell						For Insurance Company Use:			
222						Policy Number			
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 28822 Modjeska Canyon Road						Company NAIC Number			
City Modjeska Canyo	n State CA	ZIP Code 92676	3						
A3. Property Description (I APN 105-233-47	ot and Block Nu	mbers, Tax Parcel	Number, Legal Descrip	tion, etc.)		7			
A4. Building Use (e.g., Res A5. Latitude/Longitude: La A6. Attach at least 2 photo A7. Building Diagram Num A8. For a building with a cr a) Square footage of b) No. of permanent f enclosure(s) walls c) Total net area of fix	t. 33.708 Long, graphs of the buber 1B awl space or encrawl space or elood openings in within 1.0 foot abood openings in a	117.627 ilding if the Certification of the Certific	te is being used to obto n/a sq ft n/a sq in	ain flood insur A9. For a b a) Squ b) No. wal c) Tot	ouilding with an attac uare footage of attac . of permanent flood lls within 1.0 foot ab tal net area of flood	ched garage, provide: ched garage 470 sq ft d openings in the attached garage ove adjacent grade n/a openings in A9.b n/a sq in			
	SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION								
B1. NFIP Community Name & Community Number Orange County 060212			B2. County Name Orange			B3. State CA			
B4. Map/Panel Number 06059C0310	B5. Suffix H	B6. FIRM Index Date 2/18/2004	B7. FIRM Effective/Revi 9/15/19	ised Date	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 1315.92			
B10. Indicate the source of t FIS Profile B11. Indicate elevation datu B12. Is the building located Designation Date N/A	☑ FIRM m used for BFE in a Coastal Barr	☐ Community Detain Item B9: ☑ I	ermined	her (Describe) VD 1988	Other (Describe	e) □Yes ⊠No			
	SECTIO	N C - BUILDING	ELEVATION INFOR	RMATION (S	URVEY REQUIR	RED)			
C1. Building elevations are to *A new Elevation Certific C2. Elevations – Zones A1-A below according to the to Benchmark Utilized NG Conversion/Comments	pased on: cate will be requi A30, AE, AH, A (building diagram VD29 Vertical D	☑ Construction Dr. red when constructi with BFE), VE, V1-\ specified in Item A7 ratum NAVD88	awings*	uilding Under mplete.	Construction*	☑ Finished Construction H, AR/AO. Complete Items C2.a-g			
COMMENTS:									
Date of Review:	1/16/11		Community Office	sial:		*			

All elevation certificates shall be maintained by the community and copies with the attached memo made available upon request.